# The Echinoderms Newsletter1

No. 7. July, 1976

Prepared in the Department of Invertebrate Zoology (Echinoderus), National Museum of Natural History, Smithsonian Institution, Washington, D.C. 20560, U.S.A.

Here, at last, is No. 7. Yet again, we're sorry for delays, which were largely unavoidable.

At the Second Echinoderms Conference at Rovinj, it was decided that the Newsletter should continue essentially in its present form, but that volunteer regional editors might be able to send us up-to-date information on research activities in their regions, information that we might not otherwise obtain. The regional editors are listed in this issue. Also included with this issue is a revised directory, with names and addresses. There are now approximately 550 individuals on the mailing list.

We wish to thank several people who assisted in the preparation of this issue. Annette Stonework has typed the stencils for every issue of the Echinoderms Newsletter, and prepared most of the present issue. Tamara Vance, Cynthia Gust, Michael Carpenter, Linda Griffin and Tatherine Stemler helped to duplicate and collate the many thousands of pages. Without the willing help of these people, this Newsletter might never have seen the light of day.

David L. Pawson Maureen E. Downey

lThe Echinoderms Newsletter is not intended to be part of the scientific literature, and should not be cited, abstracted, or reprinted as a published document.

## Second Echinoderms Conference

The Second Echinoderms Conference was held in Rovinj, Yugoslavia, September 26 to October 1, 1975. We are most grateful to Dr. Dusan Zavodnik and the "Rudjer Boscovic" Institute Center for Marine Research for arranging this highly successful conference. The accommodations were excellent, and two interesting field trips were arranged for the participants, one by bus to Limski Kanal, Porec, Beram and Pazin, and a boat trip on the R/V Vila Velebita to dredge for (what else?) echinoderms. Forty-six papers were read at the Conference, and the proceedings will be published in Thalassia.

#### Third Echinoderms Conference

Here are the results of the voting on the venue for the next Conference.

1. Australia (37 votes) 4. Israel (19)
2. Jamaica (33) 5. Eire (15)

3. England (27) 6. Others (2)

Thus, Australia wins by a narrow margin. The next Conference will probably be held in Sydney, and will be organised by Dr. F.W.E. Rowe, The Australian Museum, College St., Sydney, N.S.W., Australia. More information will be given in the next Newsletter.

Many correspondents have suggested that the world be divided into regions (for example, fld World, New World and Western Pacific area) and that a conference be held in one of these regions every two years. Thus, for example, a New World resident should expect a conference to be held in his region once every six years. This seems like a good idea and it might work very well. The voting above, although hardly representative of our entire mailing list, would seem to indicate that the echinoderm world might logically be divided into three parts. For the sake of argument, then, we would like to suggest that the 4th conference be held in the New World (Jamaica??) around 1980. How do you feel about it?

# Regional Editors for Echinoderms Newsletter

The response to our request for volunteers to act as regional editors has been overwhelming. A total of 63 people from 27 countries or regions have offered their services. The editors are listed below. We will be happy to receive and include in future Newsletters any information that any of these editors may care to send us. Colleagues may now send their research reports direct to us or to one of the editors listed below. Many thanks for your offers of help. It will be interesting to see how this new scheme works! At the very least we hope to see more information on research in progress included in the Newsletter.

```
Australia - Baker, Dix (Tasmania), Lucas (North Queensland), Rowe
  Austria - Fechter
  Brazil - Petersen, Tommasi
 Canada - Aldrich (Atlantic), Berger (Atlantic), Chia, Cousineau, Dearborn
    (Nova Scotia, Newfoundland)
 Chile - Larrain Prat
 Czechoslovakia - Prokop
 Europe - Jangoux
 France - Guille
 Germany - Fechter, Sato, Weber
 Guam/Micronesia - Eldredge
 Gulf and Caribbean area - Britton, Cutress (Puerto Tico), Kier, Lawrence
 Israel - Ferber, Fishelson, Sato
 Italy - Tortonese
 Indo-west-Pacific area - Devaney
 Japan - Oguro
 Korea - Sato
 Mexico - Bakus
 New Zealand - Baker, McKnight, Rowe
 Poland - Szymanska
 Scandinavian countries - Christensen
 Sweden - Bockelie, Franzen
 Switzerland - Hess (paleontology)
 taiwan - Sato
 United Kingdon - Binyon (London), A.M. Clark, Crump (Wales), Emson, Rose,
   Tyler (Wale:), Wilkie (Scotland).
 U.S.A. Baku (Calif., Alaska), Carey (Pacific N.W., Alaska), Castro (S.
   Calif.), Deurborn (N. New England), Farmanfarmaian, Horowitz (Indiana
   paleontology), Kolata (midwest), Lawrence (S.E.), Macurda (midwest),
  Menge Wiesen (Calif. and Pacific N.W.), Pabian (Nebraska), Parsley (S.E.),
   Patent (Pacific N.W.), Phelan (Oregon), Scheutz, Serafy (mid Atlantic),
   Spencer (New England), Stancky (S.E.), Strimple (central), Wagner (Alaska),
   Webstur (Padific N.W.).
Yugoslavia - Mosrovie, Zavodnik
```

#### Help!!!

We to not have accurate or up-to-date addresses for the people listed below. It you happen to have the correct address for any of them, please send it to us and we will restore the names to the Newsletter mailing list. Many than s.

Acosta, Tieresita	Edvardsen, Finn	Leviten, Paul
Bauer, Join C.	Endelman, Losza	Malone, Mary
Birkner, Flan J.	Fernandez, Carol Mosher	Marcus, T.R.
Campbell, James	Grageda, Olga	McGinnis, M.
Clark, Jules F.	Harger, J.R.S.	McPherson, B.F.
Crippen, lobert	Jones, Ira	Mu, A.T.
Burkin, K.K.	Lees, Dennis	Noble, P.B.

Albuquerque, Maria da Natividade

#### Miscellany

- 1. Placement Service: several people have suggested that those seeking employment in the field of echinoderm biology might advertise in the Newslette:, and that institutuons and individuals who are seeking employees or graduate students might also advertise here. We are willing to include brief not ces of this type on a trial basis.
- 2. Translations for sale or exchange: some of you who are as unskilled in foreign I nguages as we may have had important publications translated from one language to another for your own convenience. If you are willing to send copies of these to interested colleagues, please let us know what you have, what language the paper has been translated into, and what the cost will be.

  Paw on has or will have soon the following publications:
  - rning, A. 1949. Versuch einer Neuordnung der Familie Cucumariidae. Zool. Syst. 78:404-470. Translated into English. Cost of copying not yet bermined.
  - lyaev, G. 1970. Revision of the holothurian genus Myriotrochus. True Inst. Oceanol. 86:458-486. Translated into English. No charge.

Dr. Einar Brun, known for his work on echinoderm populations, was killed in a light-plane crash on July 13, 1976.

Einar graduated from the University of Oslo, and then took his doctorate at the University of Liverpool. His thesis work dealt with the distribution and ecology of echinoderms of the Isle of Man. His work was in many ways a model for a project using SCUBA techniques to study the benthos, and his underwater photographs were superb.

He returned to Norway in 1969 to work at the Troms Museum and Marine Laboratory, of which be became Director in 1974. He attended the 1975 Echinoderms Conference in Rovinj, Yugoslavia, where he read a paper on the taxonomy of the genus Henricia.

In addition to his work with the echinoderms, Einar's research interests included biology of sea-birds, in which field he was the Norwegian authority, and possibilities of salmon farming in the ocean.

The Bruns lived on Kvaløya, the neighboring island to Tromsøya. Einar's small Piper Cub, on floats, was a major research tool, enabling him to reach his sea-bird colonies, and it was while flying from Tromsø to Bardu that he encountered the bad weather that caused the tragic accident.

Einar was an engaging person, and his ability and charm, his drive and energy, had ensured him a place as a leading biologist in his country. He initiated many exciting projects in the north of Norway, a region rich with biological problems awaiting such as he to galvanise research effort. He will be greatly missed.

- David Nichols.

JON WEBER, died June 1, 1976.

Jon N. Weber, well known for his work on the echinoderm skeleton, died on June 1, 1976.

Jon received his M.Sc, and Ph.D. in geochemistry at the University of Toronto. He then moved to Pennsylvania State University, where he became Professor of Marine Geology.

His recent tragic death represents a loss to echinoderm workers as well as to students of other groups. As an isotope geochemist, he had had virtually no biological or paleontological training, yet he was quick to learn what was necessary to work with biological materials and problems, and he was very effective in collaboration with specialists in fields unfamiliar to him. Through his isotope work, he made important contributions to problems of the physiology of the calcification process, not only in echinoderms, but also in corals and mollusks. His isotopic and chemical analyses were so numerous and carefully done that he was able to apply masses of data to subtle problems which had previously defied solution. He was a truly broad scientist who will be sorely missed by workers in several disciplines.

# Suggestions and Requests

- BAKUS would appreciate information on echinoderms that are toxic to fishes (biochemistry to behavior).
- BERGER would be pleased to provide interested people with a copy of a bibliography of the ciliate protozoans which inhabit echinoids. Any data on ciliates inhabiting urchins from S. Atlantic coasts of Africa and South America, Antarctica, Australia and New Zealand would be most welcome.
- BROOKS would like to have recent records or specimens of N.E. Pacific holothurians and any literature recently published.
- DARTNALL would like to hear from workers who have research interests in the area of Darwin, Australia. Also, he would be grateful to receive reprints of echinoderm papers to help build up his small institutional library.
- EYLERS interested in observations on starfish migrations.
- HAUGH would like to have information or bulk samples of disarticulated material containing well-preserved crinoid arm ossicles from any horizon in the Paleozoic.
- KELLER seeks unpublished information on distribution of echinoids in sea grass environments.
- LEWIS seeks any information (other than that in Boolcotian, 1966) on distribution and feeding of echinoids, particularly Echinus.
- MARCUS wishes to have data on the distribution of Arbacia punctulata; interested in obtaining specimens (alive) from as many different localities as possible; seeks advice on possible collecting sites.
- NIESEN would welcome exchange of information and ideas on variation in growth rate and test morphology with habitat in irregular urchins.
- SIBUET seeks information on reproductive periodicities in abyssal echinoderms; also interested in age determination of individual ophiuroids (using some indicator such as growth bands?).
- SPRINKLE would like to know the whereabouts of any well preserved echinoderms from the Bromide Formation (Middle Ordovican) of southern Oklahoma in museums or private collections for inclusion in a monographic study of this fauna.

- WAHLMAN would like to purchase Bassler, R.S. and M.W. Moodey, 1943, Bibliographic and faunal index of Paleozoic pelmatozoan echinoderms. Geol. Soc. America Special Paper 45, 733 pp.
- WARNER would like to learn of any observations on suspension feeding in euryalous brittle-stars other than basket stars; also any records of stomach contents in these animals.
- WELLS urges more applied studies on effects of contaminants on various aspects of biology of echinoderms, especially on reproductive activity and larval stages.
- YAMAGUCHI seeks information on natural parthenogenesis in echinoderms.

#### AND:

- IRIMURA would like to receive ophiuroids of the families Ophiacanthidae, Amphiuridae and Ophiomyxidae for systematic study; exchange of specimens welcomed.
- KRISHMAN would like to have references or papers covering aspects of reproductive biology (including ultrastructural studies of gonads) in tropical as well as temperate holothurians, in order to update an article on reproductive biology of holothurians.
- LAWRENCE will send to interested people for \$1.50 (copying and postage) the complete list of approximately 250 titles of theses and dissertations dealing with echinoderms.

#### Current Research Projects

- ARNAUD Pelecypods associated with antarctic cidaroid echinoids; ecology and adaptations in antarctic and subantarctic marine benthic organisms.
- ATWOOD Fine structure of echinoderm spermatozoa and eggs; fertilization in holothurians.
- AUSICH Functional morphology of Pisocrinus and Parapisocrinus.
- BERGER Biology of echinoid-inhabiting ciliate Protozoa; systematics, morphometric variation; intraintestinal distribution, zoogeography.
- BELL Systematics and functional morphology of cyathocystid and pyrgocystid edrioasteroids; nature of attachment and of attachment sites of edrioasteroids; taxonomic and morphologic studies of assorted edrioasteroids.
- BERNASCONI Ophiuroids of the coast of Argentina (with D'Agostino).
- BROOKS Holothurians of the north-east Pacific; distribution, ecology, taxonomy.
- BUNDRICK Reproductive biology of Californian ophiuroids, particularly Ophiothrix spiculata, Amphiodia occidentalis, and Amphipholis spp.
- CHAUVEL Diploporitid cystoids (Maroc, Massifarmoricain, Espagne); carpoids (Massif armoricain).
- CLARK, A.M. Echinoderms of Amsterdam and St. Paul Island; taxonomy of some Poraniidae (Asteroidea) with reduced skeletons; deep-water Atlantic crinoids.
- DARTNALL Australian and Indo-Pacific Asterinidae. Echinoderm fauna of vicinity of Darwin, Australia.
- DAYTON Nearshore ecology
- DEARBORN Food and feeding ecology of asteroids and ophiuroids from the Arctic, Antarctic and Gulf of Maine; taxonomy and ecology of Antarctic crinoids.
- DIX Background study on commercial utilization of <u>Heliocidaris</u> erythrogramma in Tasmania, Australia; breeding cycles, gonad yields.
- DOWNEY Asteroids of the Atlantic Ocean (with A.M. Clark); reproduction of deep-sea asteroids.

- ELLINGTON Carbohydrate metabolism in holothurians; enzyme polymorphisms in echinoderms.
- ENGSTROM Effects of predation by <u>Cassis</u> <u>tuberosa</u> on regular sea urchins in sea grass heds.
- EYLERS Molecular basis of the mechanical properties of holothurian body wall.
- FECHTER Echinoderms collected by the R/V Meteor.
- GALE Cretaceous Asteroidea and Crinoidea from western Europe; taxonomy, morphology, evolution and paleoecology.
- GIESE Physiology of echinoderm (asteroid, echinoid) body wall.
- GUILLE Ophiuroid fauna of Madagascar (with Cherbonnier); echinoderms of Kerguelen Island; benthic ecology of continental plateau of Kerguelen.
- HAUDE Morphology of jaw apparatus of eleutherozoan echinoderms; crinoid stems; Devonian echinoderms; Paleoecology of Upper Silurian Scyphocrinites layers.
- HAUGH Nervous and muscle systems of Paleozoic crinoids; "paleophysiology" and a theory of dynamic balance and sensory organs in Mississippian camerate crinoids; coelomic organization of the Camerata as evidence of echinoderm ancestry and evolution.
- HENDERSON Cenozoic Australasian clypeasteroid echinoids of the Family
  Arachnoididae; Late Cambrian eccrinoids from western Queensland,
  Australia
- HILL Cloacal rhythmicity and local degeneration in holothurians.
- HYLANDER Comparative aspects of fertilization and mechanisms of speciesspecificity; ultrastructure of echinoderm gametes and events of fertilization.
- JAMES Shallow-water echinoderms of the Andaman Islands.
- JANGOUX Structure and function of digestive systems of seastars and sea urchins; echinodeums of Africa south of Sahara.
- KANATANI Mechanisms of oocyte maturation in starfish.
- KELLER Population dynamics of Jamaican <u>Tripneustes ventricosus</u> and <u>Lytechinus variegatus</u>: the role of these species and fishes as structuring forces of the infauna and seagrass communities.

- KOBAYASHI Marine pollution bioassay by sea urchin eggs.
- KOGO Crinoid fauna of Japanese and neighboring waters.
- KOLATA Solutan carpoid family Iowacystidae; crinoids from Middle Ordovician Bromide Formation of Oklahoma (with Sprinkle and others); Middle Ordovician echinoderms from upper Mississippi River valley (with Strimple and others).
- KOMATSU Development and metamorphosis of sea stars.
- KYTE Northeastern Pacific Ophiuroidea; systematics and deep-sea ecology.

  Gorgonocephalus, systematics and some aspects of biology; Panama ophiuroids, systematics.
- LEWIS Ecology of subtidal populations of Echinus.
- LIDDELL Niche structuring of shallow water Caribbean crinoids; biostratinomy of Recent and fossil echinoderms, particularly crinoids; paleoecology of Ordovician and Silurian echinoderms.
- MACKIE Distribution of steroidal saponins in the Echinodermata and their ecological significance; mode of action of saponins on cell membranes.
- MALUF Echinoderm diversity, Gulf of California.
- MARCUS, N.H. Population genetics of <u>Arbacia punctulata</u>; effect of temperature upon isozyme production in the larval phase of <u>A. punctulata</u>.
- MARSH Systematics of Western Australian asteroids; revision of the genus Hacelia (with Rowe).
- MEYER Ecology and functional morphology of Indo-Pacific crinoids (with Macurda); association of a polychaete with the ophiuroid Ophiocoma echinata (with Hendler); biological and physical fluctuations in the reef flat communities of Atlantic Panama.
- MLADENOV Reproductive biology of Ophiothrix oerstedti, Ophiothrix suensoni, Ophiocoma echinata.
- MUKAI Ecology, population dynamics and feeding preferences in sea-stars.
- MUSCAT Growth and reproduction of Ophioplocus esmarki.
- NAVEN Ecology of Asterias rubens in parts of Kiel Bay.
- NESTLER Regular echinoids of the Upper Cretaceous.

- NIESEN Variation in growth rate and test morphology in Dendraster excentricus populations.
- OHTA Ecological investigations of deep-sea megalo-benthos; quantitative estimation and analysis of spatial patterns using deep-sea stereocamera.
- OLDFIELD Surface fine structure of echinoids; taxonomic applications.
- OLVER Taxonomy and paleoecology of British Jurassic irregular echinoids.
- PARSLEY North American Mitrata (with Caster); primitive echinoderms of the Bromide Formation of Oklahoma; echinoderms of the Lexington Limestone of Kentucky.
- PAUL Simulation of respiratory exchange in fossil echinoderms; British Ordovician cystoids; Scandinavian Ordovician echinoderms; North American Silurian Rhombifera.
- PAWSON Antarctic and Indo-west-Pacific holothurians, systematics.
- PEARSE Kelp forest ecology; echinoid reproduction.
- PHELAN Processes by which accessory tube feet and lateral water vessels are added to clypeasteroid plates with growth.
- PROKOP Bohemian Devonian echinoderms, mainly crinoids from the boundary lower-middle Devonian; systematics, biostratigraphy, paleoecology.
- ROSE Mediterranean Tertiary echinoids; paleoecology of Jurassic irregular echinoids.
- ROUX Post-Paleozoic stalked crinoids: microstructure and ontogeny of the stem; stalked crinoids of the Bay of Biscay.
- RUTMAN Reproductive activity of feather-stars Lamprometra klunzingeri (Hartlaub) and Hathrometra savignyi (Müller) from the Gulf of Eilat (Red Sea).
- SANCHEZ Comparison of the organization of surface currents due to ciliary action in asteroids.
- SCHEIBLING Ecology of geographically separated populations of Oreaster reticulatus in the Grenadines: population structure, distribution, feeding and reproductive cycle.
- SHAFFER Ophiuroids; salinity tolerance of Ophiothrix angulata.
- SHIRAI Mechanisms of oocyte maturation in starfish.

- SIBUET Ecology of abyssal echinoderms in the Bay of Biscay, including reproductive periodicities of some ophiuroids; the asteroid genus Hymenaster in the Atlantic Ocean.
- SINGLETARY Biology and ecology of Leptosynapta inhaerens.
- SLOAN Predatory behavior of the British sunstar Crossaster papposus.
- SPEEL Antarctic crinoids; statistical analysis of morphological variation in crinoids; coastal survey of marine invertebrates from Goldsboro Bay to Calais, Maine.
- STANCYK Larval nutrition, population dynamics of estuarine ophiuroids.
- STRATHMANN Limitations of ciliary feeding mechanisms in larvae and consequences for larval morphology; limitations on distribution of ambulacra; adaptive aspects of complex life cycles.
- STRIMPLE Pennsylvanian and Mississippian crinoids; Permian crinoids from southwest Texas; upper Cambrian echinoderms of SE Missouri (with Sprinkle); solutan carpoids (with Kolata and Levorson); Moscovicrinus from Belitung Island, Indonesia (with Yancey); Ordivician echinoderms from Iowa and Illinois.
- SUMMERS Investigations of mechanisms controlling species-specificity of fertilization.
- TAKASHIMA Cytochemistry in oogenesis, including radioautography and X-ray microanalysis.
- THOMAS Atlantic ophiuroids; Ophiopsila, Ophiura, Astroschema, Ophiomusium, Ophiacantha and related genera.
- THOMPSON, G.B. Distribution and abundance of echinoderms, especially sea urchins, in Hong Kong coastal waters, with particular reference to influences of pollution.
- TOWN Biology and ecology of the New Zealand sea-star <u>Astrostole scabra</u>, with particular reference to breeding cycle, physiological tolerances, population dynamics.
- TURNER Organic composition of echinoderm eggs; changes in organic composition of echinoderm embryos and larvae during development; ultrastructure and function of epidermal glands of juvenile Synaptula hydriformis during intracoelomic incubation; intra-ossicle resorption of calcite....
- UBAGNS The genus Abacocrinus (Crinoidea, Camerata) from the Silurian of Gotland; systematic description of some new Stylophora.

- VOOGT Reproductive physiology of <u>Asterias rubens</u>; storage and release of lipids; sterol and steroid metabolism. (Together with Oudejans, Broertjes and Schoenmakers).
- WAHLMAN Cystoids and crinoids from Middle Silurian reefs in Indiana and Ohio; stratigraphic occurrence and paleoecology of the Upper Ordovician cystoid Lepadocystis moorei (Meek).
- WARNER Suspension feeding in echinoderms; dense populations of echinoderms.
- WEBER Chemical composition, isotopic composition, mechanical properties and microstructural characteristics of skeletal calcites deposited by echinoderms; replication of echinoderm skeletal pore microstructures into ceramic, polymer, metal, and composite biomaterials for prosthetic implant applications in humans.
- WELCH Carboniferous crinoids; functional morphology of crinoids.
- WELLS Use of <u>Strongylocentrotus droebachiensis</u> as a test organism in acute toxicity bioassays with industrial effluents discharged into coastal areas.
- YAMAGUCHI Larval development and geographical distribution of coral reef asteroids; life history of the parthenogenetic asteroid Ophidiaster granifer Lutken; population structure, spawning and growth of the coral reef asteroid Linckia laevigata; reproductive strategies of coral reef asteroids.
- YENSEN Ecology of sunstar Heliaster kubinji, Sonora, Mexico.

#### Theses and Dissertations

Addendum to the lists of Ph.D. Dissertations and Masters' Theses concerning echinoderms. Provious lists published in the Newsletter: No.3 (April 1971); No. 4 (December 1972); No. 6 (April 1975). Prepared by John M. Lawrence.

## Ph.D. Dissertations:

Annala, T.H. 1974. Foraging strategies and population effects of <u>Asterias</u> rubens and <u>Nucella lapillus</u>. Univ. of New. Hampshire.

Anderson, C.L.R. 1974. Determination of tubulin pool size and patterns of synthesis during early sea urchin development. Purdue.

Asterita, H.L. 1962. Pressure-temperature studies on the hyaline membrane of sea urchin eggs. New York U.

Badman, W.S. 1968. Serological studies of embryogenesis in echinoids. U. of Florida.

Berry, C.T. 1934. Miocene and Recent Ophiura skeletons. Johns Hopkins.

Boylan, E.S. 1972. Aspects of gene activity during oogenesis in the amphibian <u>Xenopus laevis</u> and the starfish, Asterias forbesi. Cornell.

Brandriff, B.F. 1975. Parthenogenesis in the sea urchin <u>Lytechinus pictus</u>. U. of California, Santa Cruz.

Brehm, P.H. 1975. Bioluminescence: the anatomy and physiology of its nervous control in Ophiopsila californica (Echinodermata: Ophiuroidea). U. of California, Los Angeles.

Brett, C.2. 1963. Relationships between marine invertebrate infauna distribution and sediment type in Bogue Sound, North Carolina. U. of North Carolina. (Includes Ophiura and Moira).

Brower, J.C. 1965. Evolution and Classification of primitive actinocrinitids. U. of Wisconsin.

Cameron, P.A. 1975. The initiation and early events of metamorphosis of sea urchins. U. of California, Santa Cruz.

Candelas, G.C. 1966. A study of sea urchin polyribosomes in their relation to the control of protein synthesis. U. of Miami.

Case, S. 7. 1974. Dynamic properties of chromosomal D.N.A. isolated from sea urchin embryos. U. Southern California.

Chase, D.G. 1967. Inhibition of the cortical reaction with high hydrostatic pressure and its effects on the fertilization and early development of sea urchins U. of Washington.

Cochran, R.C. 1974. Spawning induced by radial nerve and gonad factors during the temperature-regulated reproductive cycle of the purple sea urchin, Strongy coentratus purpuratus (Stimpson). U. of California, Los Angeles.

- Cohen, H. 1968. Sea urchin polysomes and their function during embryog esis. U. of Miami.
- Colon, D. 1974. Comparison of the biological activities of crude and purifie holothurin from the tubules of the Bahamian sea cucumber Actinopyga as sizi Selenka. New York U.
- Davidso: J.M. 1974. On the role of the epithelial basal lamina in echinoi morphogenesis. Stanford.
- Bubroff L.M. 1975. Molecular classes of heterogeneous nuclear R.N.A. in sea urc. n embryos. U. of Pennsylvania.
- Eckberg W.R. 1975. Altered pattern of gene activity in abnormal sea urchin morphog lesis. Michigan State U.
- Elder, C. 1912. The relation of the zona pelludida to the formation of the fer lization membrane in the egg of the sea urchin (Strongylocentrotus purpura s). U. of California, Berkeley.
- Engstro N.A. 1974. Population dynamics and prey-predator relations of a dendroc rote holothurian, <u>Cucumaria lubrica</u>, and sea stars in the genus <u>Solaste</u> U. of Washington.
- Estes, A. 1974. Population numbers, feeding behavior and the ecological importance of sea otters in the western Aleutian islands, Alaska. U. of Arizona (Includes effect of predation on Atrongylocentrotus)
- Wylers, .P. 1975. Functional morphology of the skeleto-muscular system of the statistic, Asterias forbesi. Duke.
- Fowler, .L. 1972. Distribution of magnesium and strontium in the skeletons of mode regular echinoids from the United States Atlantic coast and the Caribber Sea. Indiana U.
- Fry, H. 1925. Asters in artificial parthenogenesis. I. The origin of the amphias r in eggs of Echinarachnius parma. Columbia.
- George, .F. 1967. Polysome differences during the first division cycle of the a urchin egg. U. of Miami.
- Goldste: , S.F. 1968. Local activation and inactivation experiments on flagell California Inst. of Technology. ("sea urchins")
- Hand, G. 1967. Correlations between germ layer differentiation and sequential symbols of ribonucleic acid during embryogenesis of the starfish Asteria forbesi. U. of North Carolina.
- Hanson, .C. 1968. The effects of versene on dividing sea urchin eggs. Oregon: ate U.
- Hart, P. 1967. The effect of spermatozoan senescence on embryonic mortality in Rana pipiens and Arbacia punctulata. U. of Illinois.

- Fartmann, J.F. 1968. The solated mitotic apparatus: studies on nucleoproteins. U. of Toronto.
- Hibbard, H. 1921. Cytopla mic inclusions in the egg of <u>Echinarachnius</u> carma. Bryn Mawr.
- Hudson, J.L. 1974. Translational modulation of protein synthesis by sea prohin transfer R.N.A. U. of Miami.
- Karlson, R.H. 1975. The effects of predation by the sea urchin. Arbacia punctulata, on a marine epibenthic community. Duke.
- Kastendiek, J.E. 1975. The role of behavior and interspeciaic interactions in determining the distribution and abundance of Renilla kollikeri Pfeffer, a member of a subtidal sand bottom community. U. of California, Los Angeles. (includes roles of Bendraster and Astropecten).
- Kew, W.S.W. 1917. Cretaceous and Cenozoic Echinoidea of the Pacific Coast of North America. U. of California, Berkeley.
- Krischer, K.N. 1967. Studies in proteolytic enzymes in the sea urchin egg. U. of Miami.
- Low, C.J. 1975. The effect of grouping on <u>Strongylocentrotus franciscanus</u>, the giant red sea urchin, on its population biology. U. of British Columbia.
- Macurda, D.B. 1963. Studies on the blastoid genus Orophocrinus. U. of Wisconsin.
- Mayo, P. 1974. Ecological chemical and behavioural studies of avoidance responses in sea-stars. U. of Aberdeen.
- Mastrangelo, M.F. 1965. I study of the vegetalizing action of tyrosine on the sea urchin embryo. Yale.
- Meeker, G.L. 1968. Some effects of intracellular potassium deficiency on cleavage in echinoid eggs. Washington State U.
- Myers, A.C. 1973. Sediment reworking, tube building, and burrowing in a shallow subtidal marine bottom community: rates and effect. U. Rhode Island.
- Mundell, R.D. 1965. Immurological studies on the starfish oocyte nucleusus. U. of Pittsburgh.
- Nicotri, M.E. 1974. Resource partitioning, grazing activities and influence of the microflora by intertidal limpets. U. of Washington (includes <u>Leptasterias</u>, <u>Pisaster</u>).
- Niesen, T.M. 1973. Population and reproductive biology of the six-rayed sea star Leptasterias hexactic on the protected outer coast. U. of Oregon.
- ezaki, H. 1975. Differentiation in esterases in the development of echinoderms and their hybrids. J. of Washington.
- Terkins, D.L. 1968. The response of unfertilized sea urchin eggs to continuous direct current stimulation. U. of California, Los Angeles.

- Fill , D.W. 1974. Distance chemoreception and avoidance of the starfish Pisaster ochraceus by the gastropods Acmaea (ol la) primatula and Acmaea (Notoacmaea) scutum. Stanford.
- Pick 1966. Correlation of magnesuum uptake with development and the in synthesis in embryos of Strongylocentrotus purpuratus.
- Forte: J.W. 1973. Biological, physical and historical forces structuring coral logf communities on opposite sides of the isthmus of Panama. Yale. (Include: Acanthaster)
- Rokop. J. 1975. Breeding patterns in the deep sea. U. of California, San Liego. (Includes Ophiomusium, Ophiacantha).
- Rutherford, J.C. 1975. Electrophoretic, morphological and reproductive variation in the sea cucumber <u>Cucumaria</u> <u>pseudocurata</u>. U. of California Berkological
- Singh, A.T. 1974. The nature, distribution and function of steroid glycosider in the starfish, Marthasterias glacialis. U. of Aberdeen.
- States ).W. 1967. On the role of R.M.A. in early echinoid embryogenesis. U of Millinois.
- Stobing, R.D. 1974. Cyclic A.M.P. and microtubule assembly in the sea urchin embra. Rennselaer Polytechnic Inst.
- Smith, N.D. 1965. Genetic control of macromolecular synthesis during regulating and mosaic development. Johns Hopkins.
- Smisor, J.S. 1931. A study of the echinoid fragments in the Cretaceous rocks of Texas. Princeton.
- Sofer, W.H. 1967. Protein synthesis in the sea urchin egg during the first division cycle. U. of Miami.
- Tagner, M.J. 1974. Sea urchin sperm-egg interactions and the block against polyaparmy: a scanning electrom microscope and experimental study. U. of California, San Diego.
- Therefore, C.E. 1926. The origin and nature of cleavage centers in echinoderm eags. An experimental and cytological study of astral phenomena in artificial parthenogenesis of sea urchin eggs. Columbia U.
- Unbry and R.J. 1974. Metabolic asjustment to temperature in <u>Strongylocentrotus</u> purposeus (Stimpson). Oregon State U.
- Vice 9, V.D. 1968. The twinning of echinoid embryos wy treatment with althousereitol and the structural basis for the interaction of blastomeres. U. c. Slifernia, Berkeley.
- Virh J.A. 1965. A comparison of fine structural and functional changes during agenesis and cleavage in regulative and mosaic embryos. U. of Illinoia
- Fild A.E. 1974. The effects of benzimidazole and certain engymes on sea of and sand dollar zygotes. Washington State U.

Website, S.K. 1972. The respiratory physiology of <u>Strongyloces trotus</u> rureur tus Stimpson with particular reference to the reproductive cycle. Stanford.

Yingst, J.Y. 1974. The utilization of organic detritus and associated microcoganisms by <u>Parastichopus parvimensis</u>, a benthic deposit Seeding holothurian. U. of Southern California.

Master ' Theses:

Ahearn, G.A. 1967. Phosphorus kinetics in Holothuria atra. U. of Hawaii.

Bader, R.G. 1952. A quantitative study of physical, chemical and biological variants of modern sediments. Chicago. (Includes Echinarychnius).

Brocks, E.J. 1973. Some aspects of the taxonomy and biology of the genus Leptosynapta (Holothuroidea) in British Columbia. U. of Victoria, B.C.

Caldwell, J. 1972. Substrate selection by Mellita quinquiesperforata. U. of Florida.

Engstrom, N.A. 1970. The reproductive cycles, systematic status, and general biology of <u>Holothuria</u> (<u>Halodeima</u>) floridana Pourtales, 1859 and <u>H. (H.) mexicana</u> Ludwig, 1875. U. of Miami.

Greer, D.L. 1961. Feeding behavior and morphology of the digestive system of the sea star Pycnopodia helianthoides (Brandt) Stimpson. U. of Washington

Gregg, K.W. 1966. A comparison of fertilizin and cytofertilizin from eggs of Articia punctulata. Emory U.

Hylander, B.L. 1975. An ultrastructural analysis of the gametes and the early events of gamete interaction. U. of Maine.

Muscat A.M. 1975. Reproduction and growth in the ophiuroid <u>Conionereis</u> annuls a. San Diego State U.

P'Connell, M.G. 1971. The fine structure of venom glands in chobiferous pedice lariae from the purple sea urchin, Strongylocentrotus surpuratus (Stimpson). California State U., Long Beach.

Reinschmidt, D.C. 1969. Regeneration in the sea cucumber Thyomella germata. Florida State U.

Ruther ord, J.C. 1971. Population biology of the holothurian ocumaria pseudocurate U. of California, Berkeley.

Wahlmen, G. 1974. Stratigraphy, structure, paleontology and relacecology of the Silurian Reef at Mentpelier, Indiana U.

Waller C.W. 1973. Morphology and histology of the reproducti system of Asteris vulgaris. Cornell.

Wells, P.G. 1969. Relationship of two physicochemical parameters to the intrai testinal distribution of the entocommensal ciliate faunt of <u>Strongvlocentro</u> us spp. U. of Toronto.

## More Current Research Projects

BLANKENSHIP - deep-sea holothurians off California.

BRETT - revision of classification of <u>Stephanocrinus</u> (with Breimer); Ordovician hardground echinoderm communities of Kirkfield, Ontario area; echinoderm paleoecology of Middle Silurian Waldron Shale of Indiana and Tennessee.

CARCAMO - chilean asteroids.

IRIMURA - ophiuroids of Prince Harald Coast, Antarctica; ophiuroids of Sagami Bay.

CHAFFEE - ecology and morphology of asteroids.

KRISHNAN - reproductive and nutritional cycles in the echinoid Salmacis virgulata.

SHIRLEY - systematics and ecology of Gulf of Mexico echinoderms.

TORTONESE - echinoderms of the northern Red Sea; echinoderms of Somaliland.

## Address Change

Green, Jeffrey D., 50 Greenfield St., Buffalo, New York 14214.

## Additions to Mailing List

Chaffee, C. - Department of Invertebrate Zoology, California Academy of Sciences, Golden Gate Park, San Francisco, California 94118.

Shirley, Thomas C.- Department of Zoology, Louisiana State University, Baton Rouge, Louisiana 70893.

## Recent Publications and Papers in Press

This list is based upon Newsletter replies plus reprints received. Please note that many of the papers listed below as "in press" will already have been published.

- ARNAUD, P.M., 1974. Contribution a la bionomie marine benthique des regions antarctiques et subantarctiques. Tethys, 6 (3): 465-656.
- ATWOOD, D.G., 1974. Fine structure of spermatogonia, spermatocytes and spermatids of the sea cucumbers <u>Cucumaria lubrica</u> and <u>Leptosynapta</u> clarki (Echinodermata: Holothuroidea). Can. J. Zool., 52: 1389-1396.
- \_\_\_\_\_\_, 1974. Fine structure of an elongated dorsoventrally compressed echinoderm (Holothuroidea) spermatozoon. J. Morph. 145: 189-203.
- processing mucous coated marine invertebrate spermatozoa for scanning electron microscopy. J. Microscopy.
- of a brooding sea cucumber, <u>Cucumaria lubrica</u>. Canadian Jour. of Zool. 52 (4): 519-523.
- BAIRD, R.H., ed., 1974. Bech-De-Mer of the South Pacific Islands, a Handbook for Fishermen.
- BAKER, A.N. and L.M. MARSH, in press. The rediscovery of <u>Halityle regularis</u>
  Fisher (Echinodermata: Asteroidea). Records of the Western
  Australian Museum.
- BAKUS, G.J., 1974. Toxicity in holothurians: a geographical pattern. Biotropica 6 (4): 229-236.
- \_\_\_\_\_\_, 1975. Marine zonation and ecology of Cocos Island, off Central America. Atoll Res. Bull. 179: 1-9.
- and GERARDO GREEN, 1974. Toxicity in sponges and holothurian:
  A geographic pattern. Science, 185: 951-953.
- BELL, B.M., 1976. A study of North American Edricasteroidea. New York State Museum Memoir 21, 446 pp.

- , 1976. Ontogeny and systematics of Timeischytes casteri sp. nov.: An enigmatic Devonian edrioasteroid. Bulletins of American Paleontology, 67 (287): 33-56. , in press. Ordovician Edrioasteroidea of Kentucky. In Ordovician Paleontology of Kentucky, U.S.G.S. Professional Paper. , in press. Respiratory schemes in the Class Edrioasteroidea. Journal of Paleontology. and M.S. PETERSEN, in press. An edrioasteroid from the Guilmette Formation at Wendover, Utah-Nevada. , H.L. STRIMPLE and C.O. LEVORSON, in press. Edrioasteroids (Echinodermata) of the Maquoketa Formation of Iowa. Iowa Acad. Sci. 12. BELMAN, B. and A.C. GIESE, 1974. Oxygen consumption of an asteroid and an echinoid from the Antarctic. Biol. Bull. 146: 157-164. BELYAEV, G.M., 1974. A new family of abyssal starfishes. Institute of Oceanology, USSR Academy of Sciences (Moscow), 53 (10): 1502-1508. BENGTSON, S., 1970. The Lower Cambrian fossil Tommotia. Lethaia, 3: 363-392. BIRKELAND, C., D.L. MEYER, J.P. STAMES, and C.L. EUFORD, 1975. Subtidal communities of Malpelo Island. In: The Biological Investigation of Malpelo Island, Colombia. Smithsonian Contr. to Zool., 176: 55-68. BLAKE, D.B., 1975. A new West American Miocene species of the modern Australian ophiuroid Ophiocrossota. Journal of Paleontology 49 (3): 501-507. BREIMER, A. and G. UBAGHS, 1975. A critical comment on the classification of the pelmatozoan echinoderms. Koninkl. Nederl. Akad. v. Wetenschappen, Proc. B, 77 (5): 308-417. and A.J. DOP, 1975. An anatomic and taxonomic study of some Lower and Middle Devonian blastoids from Europe and North America. I. Akademie Van Wetenschappen-Amsterdam. 78 (1): 40-61.
- BRITO, I.M. and L. RAMIRES, 1974. Contribuicao ao Conhecimento dos Equinoides Albianos (Cretaceo Inferior) do Brasil. An. Acad. brasil. Cienc., 46 (2): 275-282.

Series B, 78 (3): 149-167.

and G.D. WEBSTER, 1975. A further contribution to the Paleoecology and fossil stalked crinoids. Akademie Van Wetenschappen Amsterdam.

, 1974. Equinoides do Mioceno Inferior do Norte do Brasil. An. Acad. brasil. Cienc. 46 (2): 263-274. BROADHEAD, T.W., 1974. Reevaluation of the morphology of Amecystis laevis (Raymond). Jour. Paleont. 48: 670-673. and H.L. STRIMPLE, in press. Respiration in the vagrant Ordovician cystoid, Amecystis. Paleobiology. BROOM, D.M., 1975. Aggregation behavior of the brittle-star Ophiothrix fragilis. J. mar. biol. Ass. UK, 55: 191-197. CHAUVEL, J.P., 1973. Les echinodermes cystoides de l'Ordovicien de Capo de Penas (Austuries). Breviora Geol. Asturica 1973, no. 2. , B. MELENDEZ, and LeMENN, in press. Les echinodermes (cystoides et crinoides) de l'Ordovicien superieur de Luesma (Sud de l'Aragon, Espagne). , in press. Echinodermes Rhombiferes de l'Ordovicien du Maroc. CHIA, F.S. and D. ATWOOD and B. CRAWFORD, 1975. Comparative morphology of echinoderm sperm and possible phylogenetic implications. Amer. Zool. 15: 533-565. and H. AMERONGEN, 1975. On the prey-catching pedicellariae of a starfish, Stylasterias forreri (de Loriol). Canadian Jour. of Zool. 53 (6): 748-755. CLARK, A.M., 1975. The Swain Reefs Expedition: Crinoidea. Rec. Aust. Mus. 29 (13): 391-406. , 1976. Ophiura Lamarck, 1801 and Ophioderma Muller & Troschel, 1840: Revised proposals for stabilization. Bull. Zool., Nomencl. 32 (4). , in press. Echinoderms of coral reefs. Chapter 3. Biology and Geology of Coral Reefs (O.A. Jones and R. Endean, eds). Biol. 2: 95-123. and J. COURTMAN-STOCK, in press. The Echinoderms of southern Africa. Publ. British Museum (Nat. Hist.). and R.V. MELVILLE, 1976. Ophiolepis Muller & Troschel, 1840: Request for designation of a type-species under the Plenary Powers. Bull. Zool. Nomencl. 32 (4).

- COLOMBERA, D., 1974. Chromosome evolution in the phylum Echinodermata. Z. Zool. Syst. Evolut.-Forsch. 12 (1974): 299-308.
- COLUIN, A.L., L.H. COLWIN, and R.G. SUMMERS, 1974. The acrosomal region and the beginning of fertilization in the holothurian, <a href="Thyone briareus">Thyone briareus</a>. In: The Functional Anatomy of the Spermatozoon. p. 27. (Afzelius, B.A., ed.). Pergaman Press, New York.
- CRAPP, G.B. and M.E. WILLIS, in press. Age determination in the sea urchin

  Paracentrotus lividus (Lamarck), with notes on the reproductive cycle.

  J. exp. mar. Biol. Ecol., 20 (2).
- CRAWFORD, B.J. and F.S. CHIA, 1974. Fine structure of the mucous cell in the sea pen, Ptilosarcus guerneyi, with special emphasis on the possible role of microfilaments in the control of mucus release. Canadian Jour. of Zool. 52 (12): 1427-1432.
- DAMBACH, M. and W. Weber, 1975. Inhibition of pigment movement by Cytochalasin B in the chromatophores of the sea urchin Centrostephanus longispinus. Comp. Biochem. Physiol. 50C: 49-52.
- DAYTON, P.K., 1975. Experimental evaluation of ecological dominance in a rocky intertidal algal community. Ecological Monographs 45 (2): 137-159.
- , 1975. Experimental studies of algal canopy interactions in a sea otter-dominated kelp community at Amchitka Island, Alaska. Fishery Bulletin 73 (2): 230-237.
- DEARBORN, J.H. and F. J. FELL, 1974. Ecology of echinoderms from the Antarctic Peninsula. Antarctic Journal of the United States, 9 (6): 304-305.
- , in press. Foods and feeding characteristics of Antarctic asteroids and ophiuroids. Proc. Third Symposium on Antarctic Biology, Washington, D.C.
- DOWNEY, M.E., 1976. Asteroidea from Malpelo Island with a description of a new species of the genus <u>Tamaria</u>. Smithsonian Contributions to Zoology, no. 176: 85-90.
- ENGEL, H., 1976. On a new echinid from the Cretaceous of Maastricht:

  Scutellina supramarginalis (Echinoidea, Gnathostomata, Clypeasteroida,
  Laganina, Fibulariidae). Bulletin Zoologisch Museum Amsterdam, 5 (7):
  18-III-1976.
- ELLINGTON, W.R., 1975. Gluccie degradation and respiratory in starfish tissue. Federation Proceedings 34: 466 (ABSTRACT).
- , 1975. Holothurian facultative anaerobiosis. Amer. Zool. 15: 808.

- EYLERS, J.P., in press. Aspects of skeletal mechanics of the starfish Asterias forbesii. Jour. Morphol.
- FELL, F. J., 1975. The cchincid genus <u>Centrostephanus</u> in the South Pacific Ocean with a description of a new species. Journal of the Royal Society of New Zealand, 5 (2): 179-193.
- FERGUSON, J.C., 1974. Fatty acid and carbohydrate storage in the annual reproductive cycle of Echinaster. Comp. Biochem. Physiol. 52A: 585-590.
- , 1976. The annual cycle of fatty acid composition in a starfish. Comp. Biochem. Physiol. 54B: 249-252.
- FREST, T.J., 1975. Caryocrinitida: (Echinodermata: Rhombifera) of the Laurel Limestone of southeastern Indiana. Fieldiana Geology 30 (4): 81-106.
- \_\_\_\_\_, 1975. Marsupiocrinidae of the Laurel Limestone of southeastern Indiana. Geol. Mag. 112 (6): 565-574.
- GUILLE, A., 1974. Astoridas et Ophiurides recoltees aux Ilos Kerguelen par P. Grua. Com. natl. Fr. rech. antarct. 35: 32-44.
- , in press. Benthie bicnomy of the continental shelf of the Kerguelen Islands. Merofauna. I. Echinoderms of the Morbihan Gulf. Quantitative data. Proc. Third Symp. Antarctic Biol. Washington, D.C.
- , in press. Compte-rendu de la campagne MD04/Benthos effectuee a bord du M.S. Marion-Duffesne du 14.2 au 23.3.1975: Bionomie du plateau continental des iles Korguelen. Ichthyologie, Hydrologie, Sedimentologie. Com. natl. Fr. rech. antarct.
- and J. SOWER, in press. Bionomie benthique du plateau continental de la cote catene française. VII. Macrofaune et meiofaune rapports quantitatifs et biocenotiques. Vie Milieu.
- and \_\_\_\_\_, in press. Prospections bionomiques du plateau continental des iles Kerguelen. Golfe du Morbihan et Golfe des Baleiniers. Com. natl. Fr. roch. antarct.
  - and J. PONGE, in press. Application de l'analyse des correspondances a l'etude des peuplements benthiques de la cote catalane française.

    Ann. irst. Occanogr, Paris.
- and G. CHERDONNIER, in press. Sur la presence a l'ile Heard, de i'ophiure Astrophiuma pommira (Sladem). Bull. Mus. Hist. nat. Paris.

- GLMM, P.W., 1974. The impact of <u>Acanthaster</u> on corals and coral reefs in the Eastern Pacific. Environmental Conservation 1: 295-304.
- GRUA, P., ed., 1974. Invertebres de l'infralittoral Rocheux dans l'Archipel de Kerguelen. CNFRA, 3 (35): 1-44.
- HANSEN, B., 1975. Systematics and biology of the deep-sea holothurians.

  Part 1. Elasipoda. Galathea Report 13: 1-262.
- HAUDE, R. and LANGEMSTRASSEN, F., in press. Angle teeth (goniodonts) of ophiocisticids from the Silurian, Devonian and Carboniferous. Lethaia.
- and , in press. Rotasaccus dentifer, ein neuer 'Ophiocistioide mit "holothuroiden" Radchen-Skleriten und "echinoidem" Kauapparat. Palaont. Zeitschr.
- HAUGH, B.N., 1975. Digestive and coelomic systems of Mississippian camerate crinoids. Jour. Paleont. 49 (3): 472-493.
- , 1975. Nervous systems of Mississippian camerate crinoids. Paleobiology, 1 (3): 261-272.
- evolution of echinoderms. Geol. Soc. Amer. Meetings, Salt Lake City (ABSTRACT).
- HENDLER, G., 1975. Adaptational significance of the patterns of ophiuroid development. American Zoologist, 15 (3): 691-715.
- HESS, H., 1975. Mikropalaontologische Untersuchungen an Ophiuren Die Ophiuren aus den Gunsberg-Schichten (obers Oxford) vom Guldental (Kt. Solothurn). Eclogae geol. Helv. 68 (3): 691-601.
- , 1975. Mikropalaontologische Untersuchungen an Ophiuren Die Ophiuren aus den Humaralis-Schichten (Ober-Oxford) von Raedersdorf (Ht-Rhin). Eclogae geol. Helv. 68 (3): 603-612.
- HIMMELMAN, J.H., in press. Phytoplankton as a stimulus for spawning in three marine invertebrates. J. exp. mar. Biol. Ecol. 1975.
- HOROWITZ, A.S. and H.L. STRIMPLE, 1974. Chesterian echinoderm zonation in eastern United States. Int. Carb. Congress, Compte. Rendu, Bd. III: 207-219.
- HYLANDER, B.L. and R.G. SUMMERS, 1975. An ultrastructural investigation of the spermatozoa of two ophiuroids, Ophiocoma echinata and Ophiocoma werdti. Cell and Tiss. Res. 158: 151-168.

- JAMES, D.B., 1974. Note on the development of the asteroid Asterina burtoni Gray. J. Mar. biol. Ass. India, 14 (2): 883-884.
- JANGOUX, M., 1975. Note sur le genre Tethyaster, Sladen (Echinodermata, Asteroides, Astropectenidae). Rev. Zool. afr. 89 (4): 761-768.
- emonctoire des caecums rectaux d'Asterias rubens L. (Echinodermata, Asteroidea). C. R. Acad. Sci, Paris, 281: 643-646.
- and J.-P. V. BOSSCHE, 1975. Morphology and dynamics of the coelomocytes of Asterias rubens L. (Echinodermata, Asteroidea).

  Forma et Functio. 8: 191-208.
- JEFFERIES, R.P.S., 1975. Fossil evidence concerning the origin of the chordates. Symp. zool. Soc. London, 36: 253-318.
- KANATANI, H., 1974. Mechanism of oocyte maturation and gamete release in starfishes. II. Maturation-inducing substance. Zool. Mag. (Tokyo), 83: 125-134.
- , 1974. Hormonal mechanism of oocyte maturation--starfish as a model system. Protein-Nucleic Acid-Enzyme, 19: 1133-1143.
- , 1974. Presence of 1-methyl adenine in sea urchin gonad and its relation to cocyte maturation. Development and Growth and Differentiation, 16 (3): 159-170.
- KEIZER, P.D. and P.G. WELLS, 1975. The effectiveness and toxicity of the oil dispersant, oilsperse 43, in large outdoor tanks. Surveillance Report Canadian EPS 5-AR-75-8.
- KENNEDY, B. and J.S. PEARSE, 1975. Lunar synchronization of the monthly reproductive rhythm in the sea urchin <u>Centrostephanus</u> coronatus Verrill. J. exp. mar. Biol. Ecol. 17: 323-331.
- KIER, P.M., 1975. The echinoids of Carrie Bow Cay, Belize. Smithsonian Contributions to Zoology, 206.
- KOBAYASHI, N., 1973. Studies on the effects of some agents on fertilized sea urchin eggs, as a part of the basis for marine pollution bioassay. Publ. Seto Mar. Biol. Lab. 21 (2): 109-114.
- , 1974. Marine pollution bioassay by sea urchin eggs; an attempt to enhance accuracy. Publ. Seto Marine Biol. Lab. 21: 377-391.
- , 1974. Bioassay data for marine pollution using sea urchin eggs, 1972 and 1973. Ibid., 21: 411-432.

- KOGO, I and M. YAMADA, 1974. Crinoidea, in "Systematic Zoology" (T. Uchida, ed., in Japanese): Vol. 8 (Mid.) Echinodermata, 27-80. Nakayama Shoten, Tokyo.
- KOLATA D.R., 1975. Middle Ordovician echinoderms from northern Illinois and southern Wisconsin. Paleo. Soc. Mem. 7, 74 pp.
- , in press. Crinoids from the Upper Ordovician Bighorn Formation of Wyoming. Jour. Paleont.
- KOMATS: M., 1975. On the development of the sea-star, Astropecten latespinosus Meissner. Biol. Bull., 148: 49-59.
- \_\_\_\_\_\_, 1975. Development of the sea-star Asterina coronata japonica Hayashi. Proc. Jap. Soc. Syst. Zool. 11: 42-48.
- KRISHNED, S. and P. SOLEMDAL, 1974. Observations on the transport of sugars in the temperate holothurian, Cucumaria frondosa. Fisk-Dir. Skr. Ser. HavUnders., 16: 171-176.
- and T. Dale, 1975. Ultrastructural studies on the testis of Cucumaria frondosa (Holothuroidea: Echinodermata). Norw. J. Zool. 23: 1-15.
- KUBOTA . . and H. KANATANI, 1975. Concanavalin A: Its action in inducing oocyte maturation-inducing substance in starfish mollicle cells. Science, 187: 654-655.
- LANE, 1.G., 1975. The anal sac of <u>Aesiocrinus</u>, a Pennsylvanian anadunate crinoid. Journal of Paleontology, 49 (4): 538-645.
- \_\_\_\_\_\_, 1976. The fossils called Indean Beads. Outdoor Indiana.
- and A. BREIMER, 1974. Arm types and feeding habits of aleozoic crinoids. Akademie van Wetenschappen, Amsterdam, 7 (1): 32-39.
- and D.B. MACURDA, JR., 1975. New evidence for muscular rticulations in Paleozoic crinoids. The Paleontological ociety, 1 (1): 59-62.
- LARRAIN RAT, A.P., 1975. Los Equinoideos Regulares Fosiles recientes de Chile. Gayana, 35.
- LAWRENC J.M., 1973. Temperature tolerances of tropical shallowater echinoids (Echinodermata) at Elat (Red Sea). Israel ournal of Zoology, 22: 143-150.

- , 1975. The effect of temperature--salinity combinations on the functional well-being of adult Lytechinus variegatus (Echinodermata, Echinoidea). Biol. Ecol. 18: 271-275.
- urchins. Oceanogr. Mar. Biol. Ann. Rev. 13: 215-286.
- LECLERC, M., 1973. Etudes ultrastructurales des reactions d'Asterina gibbosa (Echinoderme Asteride) au niveau de l'organe axial apres injection de diverses proteines. Ann. d'Immunol. 124C.
- LOWE, E.M. and J. LAWRENCE, 1976. Absorption efficiencies of Lytechinus variegatus (Lamarck) (Echinodermata: Achinoidea) for selected marine plants. J. exp. mar. Biol. Ecol., 21: 223-234.
- LOWENSTAM, H.A. and G.R. ROSSMAN, 1975. Amorphous, hydrous, ferric phosphatic dermal granules in Molpadia (Holothumoidea): Physical and chemical characterization and ecologic implications of the bioinorganic fraction. Chemical Geology, 15: 11-51.
- MACKIE, A.M., H.T. SINGH, and T.C. FLETCHER, 1975. Studies on the cytolytic effects of seastar (Marthasterias glacialis) saponins and synthetic surfacants in the plaice <u>Pleurone des platessa</u>.

  Mar. Eiol. 29: 307-314.
- MACURDA, D.B., JR., 1975. The bathymetry and zoogeograp'y of shallow-water crinoids in the Bahama Islands. Hydro-lab Journal, 3(1): 5-24.
- feeding behavior of the basketstar Astrophyton. Paleobiology, 2 (1): 1-7.
- and P.R. RACHEBOEUF, 1975. Devonian and carboniferous spiraculate blastoids from Brittany (France). Durnal of Paleontology 49 (5): 845-855.
- MARKEL, K., 1975. Wachstum des Coronarskeletes von Para entrotus

  lividus Imk. (Echinodermata, Echinoidea). Zoomerphologie,

  82: 259-280.
- MASSIN, . and M. JANGOUX, 1976. Observations ecologiques sur Holothuria tubulosa, H. poli et H. forskali (Echinodermata Holothuroidea) et comportement alimentaire de H. tubulosa. Ca. Biol. mar. 18: 45-59.

- MEIJER, L. and M. JANGOUX, in press. Observations biometriques sur Radiororotula orbiculus (Linne) (Echinodermata, Echinoidea, Rotulides). Rev. Zool. afr. 89 (3): 622-628.
- MEYER D.L. and N.G. LANE, in press. Feeding biology of basketstars and flexible crinoids. Jour. Paleont.
- MILEIKOVSKY, S.A., 1974. On predation of pelagic larvae and early juveniles of marine bottom invertebrates by adult benthic invertebrates and their passing alive through their predators.

  Marine Biology, 26: 303-311.
- MIRONOV. A.N., 1974. New species of abyssal sea urchins of the genus <u>Echinosigra</u> (Echinoidea, Pourtalesiidae). Zoology Journal, Akademia Nauk SSSR, 53 (12): 1803-1806.
- \_\_\_\_\_\_, 1975. Deep-sea urchins (Echinodermata, Echinoidea) collected during the 14th Cruise of the R/V "Akademik Kurchatov".

  Trudy Instituta Oceanologii, Akademia Nauk SSR, 103: 201-288.
- , 1975. Mode of life of the pourtalesiid sea-urchins (Echinoidea: Pourtalesiidae). Ibid. 100: 205-214.
- MISCHOR, B., 1975. Zur morphologie und regeneration der Hohlstachein von Diadema antillarum Philippi und Echinothrix diadema (L.) (Echinoidea, Diadematidae). Zoomorphologie, 82: 243-258.
- NESTLEE, H., in press. Echiniden aus dem Unter-Maastricht der Insel Rugen. V. Die postlarvale Entwicklung der cidariden. Z. Geol. Wissensch. Berlin.
- , in press. Die Fossilien der Rugener Schreibkreide.

  Kap. 4, 11: Echinodermata. Die Neue Brehm-Bucherei, ZiemsenVerlag Lutherstadl Wittenberg.
- OLDFIELD, S.C., 1975. Surface fine structure of the globiferous pedicellariae of the regular echinoid, Psammechinus miliaris Gmelin. Cell Tiss. Res. 162: 377-385.
- OHTA, 5., 1975. An attempt of ecological observation and density estimation of ophiuroid and other megalo-epibenthos by means of underwater photography. Benthos Research 9/10: 33-38 (in Japanese).
- , in press. A precise and continuous monitoring system of the distance between the near-bottom instruments and the seafloor.

PAPSLEY. R.I , 1975. System dies and functional morphology of Col mbocystis, a Mi lle Ordovician "cystidean" c uncertain aff nities. Bull. merican Paleont. 67: 349-361. a 1 L.W. MINTZ, 1 /5. North American Paracrir idea (Or ovician: Paracr lozoa, new, Echinodermata). Ibid., 68: 1-1 5. PAUL, C.R.C. 1974. Regulae Istis Devonica, a new Devonican Ple rocystitid cyst .d from Devon. Geol. Mag. 1:1 (4): 349-352. analysis in fossils Lethaia, 7: 15-21. , in press. Paleo lography of Ordovician echir derms. International Sympo num on the Ordovician Syster Birmingham, Eng and, 1974. , in press. Ordov mian echinoderms from Green and. Geol. PAWSON, D.L. G.D. DONNAY, a 1 M. HEY, 1975. Iron phospi te deposits in olpadiid holoth cians (Echinodermata: Holoth roidea). Bio ineralisation F schungsberichte 8: 16-20. , i press. Molpad id holothurians of the south rn Atlantic, Pactic, and Indian Oceans. Antarctic Research eries. , a press. Two n v sea cucumbers (Echinoderma a: Holothuroidea) fro the eastern Un led States. Proc. Biol. Soc Washington. , n press. Shall /-water sea cucumbers (Echin dermata: Hol thuroidea) from Carrie Bow Cay, Belize. The t. PEARSE, J.S. 1974. An echieoderm dominated area adjacent to a giant kel forest off Sar a Cruz, California. Western Soc. Nat ralists, 55th A hual Meeting, p. 13 (ABSTRACT). , 975. Lunar reproductive rhythms in sea urclins: A rev ew. J. interdi cipl. Cycle Res. 6: 47-52. POLLS, T. at J. GONOR, 1975 Behavioral aspects of righting in two

ast roids from the acific Coast of North Americ .. Biological

Bul etin, 148 (1): 3-83.

- PRIM, P. and J.M. Lawrence, 1975. Utilization of marine plants and their constituents by bacteria isolated from the gut of echinoids (Echinodermata). Marine Biology 33: 167-173.
- PROKOP, R., 1975. The genus <u>Ichthyocrinus</u> Conrad, 1842, in the Lower Devonian of Bohemia (Crinoidea). Cas. min. geol. 20(4): 417-421.
- Devonian of Bohemia (Crinoidea). Cas. min. geol. 1976 no. 1, Praha.
- RAO, G.C., 1975. On a new interstitial species of <u>Trochedota</u> (Apodida, Holothuroidea) from Andamans, India. Curr. Sci. 44 (14): 508-509.
- ROMAN, J.P., 1973. Etudes paleontologiques et geologiques sur les falaises de Fresco (Cote d'Ivoire). 6. Echinides. Ann. Fac. Sci. Dakar, t. 26: 139-172.
- persique). Annales de Paleontologie, Invertebres (Paris).
- , in press. Echinides cretaces et paleocenes du Sahara algerien. Editions du C.N.R.S. (Centre de Rech. sur les Zones arides).
- Jules Lambert. Bull. Soc. geol. France. (avac M. Collignon et D. Pajaud).
- ROSE, E.P.F., 1974. Stratigraphical and facies distribution of irregular echinoids in Miocene limestones of Gozo, Malta, and Cyrenaica, Libya. Memoirs du B.R.G.M. 78 (1): 349-355.
- , 1974. The Miocene Echinoidea of Libya: A surmary and review of their stratigraphical distribution. Memoires du B.R.G.M. 78 (1). 341-347.
- , 1975. Oligo-Miocene echinoids of the Maltese Islands.

  Proc. VIV Congress Regional Committee on Mediterranean
  Neogene Stratigraphy, Bratislava, 1975, vol. 1, 23. 75-79.

- ROUX, M., 1974. Les principaux modes d'articulation des ossicules du squelette des crinoides pedoncules actuels. C.R. Acad. Sci. Paris, v. 278, ser. D., pp. 2015-2018.
- ROWE, F.W.E., 1974. Catalogue of the Sladen Collection in the Royal Albert Memorial Museum, Exetor, Devon. Biological Journal of the Linnean Society, 6 (3): 179-243.
- and A.M. C.ARK, 1975. Notes on some echinoderms from Marion Island. Bull. Br. Mus. nat. Hist. (Zool.) 28 (5): 187-190.
- SATO, H., 1973. The Mitotic Spindle. Aging Gametes. Int. Symp., Seattle, pp. 19-49.
- SERAFY, D.K., 1971. A new species of <u>Clypeaster</u> (Echinodermata, Echinoidea) from San Felix Island, with a key to the Recent species of the eastern Pacific Ocean. Pacific Science, 25 (2): 167-170.
- SHIRAI, H., 1974. Effect of 1-phenylalanine on 1-methyl adenine production and spontaneous maturation in starfish. Exptl. Cell Research, 87: 31-38.
- SIBUET, M., 1974. Echinodermes de la mer d'Alboran. Bull. Mus. Hist. nat. Paris 155 (3): 789-798.
- , in press. Asterides abyssales de l'Atlantique Sud. (Resultats de la campagne Nalda 1971). Ibid., 199 (3): 289-298.
- SINGLETARY, R.L., 1975. A new species of brittle star from Florida. Florida Scientists 36 (2-4): 175-178.
- and H.B. MOORE, 1974. A redescription of the Amphioplus coniortodes Ophionephthys limicola community of Biscayne Bay, Florida. Bull. Mar. Sci. 24 (3): 690-699.
- SPRINKLE, J., 1975. Biostratigraphy and paleoecology of Cambrian echinoderms from the Rocky Mountains. Geol. Soc. America Abstracts with programs 7 (7) (ABSTRACT).
- , 1975. The "arms" of <u>Caryocrinites</u>, a rhombiferan cystoid convergent on crinoids. Jour. Paleontology 49 (6).
- , 1976. Classification and phylogeny of "pelmatozoam" echinoderms. Systematic Zoology 25.

STRATHMANN, R.R., 1975. Limitations on diversity of tourns: branching of ambulacral systems of echinocerms. American Naturalist, 109: 177-190. , in press. Feeding biology of echinoderm larvae. American Zoologist. \_\_, in press. Introduction to larval biology of echinoderms. Thalassia Jugoslavica. STRENGER, A., 1973. Sphaerechinus granularis: Violetter Seeigel. Anleitung zur makroskopischen Untersuchung. Grosses Zoologisches Praktikum vol. 18. Fischer, Stuttgart. STRIMPLE, H.L., 1974. A preliminary soudy of echinoderms with the aid of a scanning electron microscope. Proc. Towa Acad. Sci. 81: 51-55. , 1974. Abyssocrinus from the Haragan Formation (Devonian) of southern Oklahoma. Okla. Geol. Notes 34: 160-162. , 1975. The crinoid genus Sercaulocrinus from Iowa. Proc. Iowa Acad. Sci. 81: 116-118. , 1975. Megaliocrinus johnseni, new camerate crinoid species from Middle Pennsylvanian rocks of Illinois. Proc. Icwa Acad. Sci. 81: 119-121. , 1975. A rare inadunate cramoid from the Barnsdall Formation (Upper Pennsylvanian, of Oklahoma, Okla, Geol. Notes 35: 23-26. , 1975. Crinoids of Atokan Fre from Oklahoma and Missouri. Paleo. Contr. Paper 76: 30 p. , in press. Crowns of Parapt socrinus from Oklahoma and Tennessee. Okla. Geol. Notes. , in press. Erisocrinids (Cranoidea-Inadunata) from Middle Pennsylvanian rocks of Iswa and Colorad. Proc. Iowa Acad. Sci. , in press. New Chesterian crinoids from Illinois. Paleo. Contr. ; in press. A Morrowan crim ld fauna from the Hueco Mountains of Texas. Jour. Pal ont.

- , in press. Petalambicrinus, a new crinoid genus from the Missourian of Texas. Jour. Paleont. , in press. Bottom dwelling hybocrinids from Kentucky. Southeastern Geology. \_, in press. The Silurian inadunate crinoid genus Thalamocrinus from Tennessee. Southeastern Geology. , in press. Upper Carboniferous crinoids of northwest Spain. Jahrbuch für Geologie und Palaontologie, Monatschefte. and W.W. MASSICHUK, 1974. Pennsylvanian crinoids from Ellesemere Island, Arctic Canada. Jour. Paleont. 48: 1149-1155. SUAREZ, A.M., 1974. Lista De Equinodermos Cubanos Recientes. Investigaciones Marinas Universidad de la Habana 8 (6). SUMMERS, R.G. and B.L. HYLANDER, 1974. An ultrastructural analysis of early fertilization in the sand dollar, Echinarachnius parma. Cell Tiss. Res. 150: 343-368. , in press. Species-specificity of acrosome reaction and primary gamete binding in echinoids. Exp. Cell Res. , A.L. COLWIN, and L.H. COLWIN, in press. Functional anatomy of the echinoderm spermatozoon and its interaction with the egg at fertilization. Amer. Zool. THOMAS, L.P., 1975. The ophiacanthid genus Amphilimna. Proc. Biol. Soc. Wash. 88: 127-139. , 1975. The systematic relationships of Ophioplocus, Ophioceramis, and Ophioceres. Bull. Mar. Sci., 25 (2): 232-247.
- TORTONESE, E., 1975. L'echinoide <u>Centrostephanua longispinus</u> en Mediterranee Nord-Occidentale. Museo Civico Di Storia Naturale Di Genova, 70: 238-240.
- TURNER, R.L., 1976. Sexual difference in latent period of spawning following injection of the hormone 1-methyladenine in Echinaster (Echinodermata: Astercidea). Gen. Comp. Endocrinol.

- and J.C. RUTHERFORD, 1975. Caloric content and organic composition of eggs and pentaculae of the brooding holothuroid Cucumaria curata. Amer. Zool. 15: 787.
- UBAGHS, G. 1975. Early Paleozoic echinoderms. Annual Rev. Earth Planetary Sci. 3: 79-98.
- WALKER, C.W., 1975. Studies on the reproductive system of sea-stars.

  II. The morphology and histology of the gonoduct of Asterias vulgaris. Biol. Bull. 148.
- WARNER, G.F. and J.D. WOODLEY, 1975. Suspension-Teeding in the brittle-star Ophiothrix fragilis. J. mar. biol. Ass. UK, 55: 199-210.
- WEBER, J.N., 1973. Temperature dependence of magnesium in echinoid and asteroid skeletal calcite: A reinterpretation of its significance. Journ. Geol., 81: 543-558.
- WEBSTER, S.K. and A.C. GIESE, 1975. Oxygen consumption of the purple sea urchin with special reference to the reproductive cycle. Biol. Bull. 148: 165-180.
- WHITE, E.W., J.N. WEBER, and R.A. WHITE, 1975. Microporous biomedical implant materials from echinoderm skeletal structures. U.S. Patent No. 3,890,107.
- YAMAGUCHI, M., 1974. Growth of juvenile <u>Acanthaster planci</u> (L.) in the laboratory. Pacific Science, 28 (2): 123-138.
- , 1974. Effect of elevated temperature on the metabolic activity of the coral reef asteroid Acanthaster planui (L.). Pacific Science, 28 (2): 139-146.
- , 1975. Sea level fluctuations and mass mortalities of recf animals in Guam, Mariana Islands. Micronesica, 11 (2): 227-243.
- , 1975. Coral reef asteroids of Guam. Biotropica, 7 (1): 12-23.
- , in press. Estimating growth parameters from growth rate data: Problems with marine sedentary invertebrates.

  Oecologia, 20: 321-332.

- Guangdong Province, China. Studia Marina Sinica, 8 (0): 200-230.
- ZAKVCINIK, D., 1971. Contribution to the dynamics of benthic communities in the region of Rovini (Northern Adriatic). Thalassia Jugoslavica, 7 (2): 477-514.